

Electricians Tool Assortment | 118 pcs.



Product number: 15503

Weight: 12.582 kg

EAN: 4048769060510

- perfect tool combination for use in the range of electrical installations
- partly equipped with insulated tools and tested according to DIN EN/IEC 60900
- with its 118 parts, this tool set offers a wide range of tools and is suitable for many applications
- in a heavy-duty hard case made of ABS plastic with reinforced corners, which protects the case from damages and makes it particularly durable
- during transport, all parts contained in the case are well protected and secured in their places by elastic straps and hook and loop fasteners
- tool boards made of dirt-repellent coated MDF wood fibre boards
- an EPE foam insert made of robust, high-quality hard foam glued in the bottom area offers each tool its firm place
- sockets, reversible ratchets, VDE pliers, VDE screwdrivers and combination wrenches made of chrome vanadium steel
- surface finish: satin chrome plated

- bits made of high quality chrome vanadium steel (S2), with intelligent color coding system for each profile

scope of delivery:

- 1 reversible ratchet | fine tooth | 6.3 mm (1/4") (BGS 630)
- 1 reversible ratchet | fine tooth | 12.5 mm (1/2") (BGS 632)
- 1 socket, super lock | 6.3 mm (1/4") drive | 4 mm (BGS 2344)
- 1 socket, super lock | 6.3 mm (1/4") drive | 4.5 mm (BGS 2339)
- 1 socket, super lock | 6.3 mm (1/4") drive | 5 mm (BGS 2345)
- 1 socket, super lock | 6.3 mm (1/4") drive | 5.5 mm (BGS 2343)
- 1 socket, super lock | 6.3 mm (1/4") drive | 6 mm (BGS 2346)
- 1 socket, super lock | 6.3 mm (1/4") drive | 7 mm (BGS 2347)
- 1 socket, super lock | 6.3 mm (1/4") drive | 8 mm (BGS 2348)
- 1 socket, super lock | 6.3 mm (1/4") drive | 9 mm (BGS 2349)
- 1 socket, super lock | 6.3 mm (1/4") drive | 10 mm (BGS 2350)
- 1 socket, super lock | 6.3 mm (1/4") drive | 11 mm (BGS 2351)
- 1 socket, super lock | 6.3 mm (1/4") drive | 12 mm (BGS 2352)
- 1 socket, super lock | 6.3 mm (1/4") drive | 13 mm (BGS 2353)
- 1 socket, super lock | 6.3 mm (1/4") drive | 14 mm (BGS 2354)
- 1 socket, super lock | 12.5 mm (1/2") drive | 10 mm (BGS 2410)
- 1 socket, super lock | 12.5 mm (1/2") drive | 13 mm (BGS 2413)
- 1 socket, super lock | 12.5 mm (1/2") drive | 14 mm (BGS 2414)
- 1 socket, super lock | 12.5 mm (1/2") drive | 16 mm (BGS 2416)
- 1 socket, super lock | 12.5 mm (1/2") drive | 17 mm (BGS 2417)
- 1 socket, super lock | 12.5 mm (1/2") drive | 18 mm (BGS 2418)
- 1 socket, super lock | 12.5 mm (1/2") drive | 19 mm (BGS 2419)
- 1 socket, super lock | 12.5 mm (1/2") drive | 20 mm (BGS 2420)
- 1 socket, super lock | 12.5 mm (1/2") drive | 22 mm (BGS 2422)
- 1 socket, super lock | 12.5 mm (1/2") drive | 24 mm (BGS 2424)
- 1 socket, super lock | 12.5 mm (1/2") drive | 27 mm (BGS 2427)
- 1 socket, super lock | 12.5 mm (1/2") drive | 30 mm (BGS 2430)
- 1 socket, super lock | 12.5 mm (1/2") drive | 32 mm (BGS 2432)
- 1 sliding handle | external square 6.3 mm (1/4") (BGS 276)
- 1 universal joint | 6.3 mm (1/4") (BGS 250)
- 1 universal joint | 12.5 mm (1/2") (BGS 251)
- 1 "wobble" extension bar | 6.3 mm (1/4") | 50 mm (BGS 2232)
- 1 "wobble" extension bar | 6.3 mm (1/4") | 100 mm (BGS 2231)
- 1 "wobble" extension bar | 12.5 mm (1/2") | 125 mm (BGS 234)
- 1 "wobble" extension bar | 12.5 mm (1/2") | 250 mm (BGS 235)
- 1 sliding adaptor for extension bars | external square 12.5 mm (1/2") (BGS 289)
- 1 bit adaptor with retaining Ball | 6.3 mm (1/4") drive | internal Hexagon 6.3 mm (1/4") (BGS 8213)
- 1 machinist's hammer | hickory handle | DIN 1041 | 300 g (BGS 52303)
- 1 measuring tape | 19 mm x 5 m (BGS 8394)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 1.5 mm (BGS 790-1.5)

- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 2 mm (BGS 790-2)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 2.5 mm (BGS 790-2.5)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 3 mm (BGS 790-3)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 4 mm (BGS 790-4)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 5 mm (BGS 790-5)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 6 mm (BGS 790-6)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 8 mm (BGS 790-8)
- 1 L-Type wrench | extra long | internal Hexagon / internal Hexagon with ball head 10 mm (BGS 790-10)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T10 (BGS 794-T10)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T15 (BGS 794-T15)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T20 (BGS 794-T20)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T25 (BGS 794-T25)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T27 (BGS 794-T27)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T30 (BGS 794-T30)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T40 (BGS 794-T40)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T45 (BGS 794-T45)
- 1 L-type wrench | extra long | T-Star tamperproof (tor Torx) T50 (BGS 794-T50)
- 1 aluminium hacksaw frame | 150 mm (BGS 2083)
- 1 adjustable wrench with soft rubber handle | max. 25 mm (BGS 1441)
- 1 cross chisel | 6 x 200 mm (BGS 1699)
- 1 scraper | stainless steel | solid 2-component rubber grip handle with hole (BGS 3063)
- 1 spinner handle for bits | internal hexagon 6.3 mm (1/4") | 200 mm (BGS 217)
- 1 combination spanner | 8 mm (BGS 30558)
- 1 combination spanner | 10 mm (BGS 30560)
- 1 combination spanner | 11 mm (BGS 30561)
- 1 combination spanner | 12 mm (BGS 30562)
- 1 combination spanner | 13 mm (BGS 30563)
- 1 combination spanner | 14 mm (BGS 30564)
- 1 combination spanner | 17 mm (BGS 30567)
- 1 combination spanner | 19 mm (BGS 30569)
- 1 VDE side cutter | 160 mm (BGS 7154)
- 1 VDE long nose pliers | angular | 200 mm (BGS 7153)
- 1 VDE combination pliers | 180 mm (BGS 7150)
- 1 VDE water pump pliers | 250 mm (BGS 7157)
- 1 VDE wire stripping pliers | 160 mm (BGS 7156)
- 1 VDE screwdriver | cross slot PH1 | blade length 80 mm (BGS 4926)
- 1 VDE screwdriver | cross slot PH2 | blade length 100 mm (BGS 4927)
- 1 VDE screwdriver | slot SL 3 mm | blade length 75 mm (BGS 4925)
- 1 VDE screwdriver | slot SL 4 mm | blade length 100 mm (BGS 4924)
- 1 voltage tester | 120 - 250 V | 140 mm (BGS 725)
- 1 aluminium water level | 300 mm (BGS 3574)
- 1 wooden folding rule | 2 m (BGS 2053)

- 1 VDE cable knife with slip protection
- 1 voltage detector with digital display (BGS 40110)
- 1 colour bit set | 32 pcs. (BGS 4816)
- 1 snap-off knife | blade width 18 mm (BGS 7958)
- 1 ABS plastic empty case for BGS 15503 (BGS 15503-1)