

## Socket Set | 10 mm (3/8") Drive | 61 pcs.



Product number: 2229

Weight: 4.21 kg

EAN: 4026947022291

- extensively equipped for demanding mechanics as well as do-it-yourselfers
- with super Lock / wave type sockets in short and deep version and bit sockets with different output profiles
- high-quality fine-tooth reversible ratchet with 90 teeth, inserted reversible lever, ergonomic two-component handle and quick-release button for fast tool changes
- contains among other things further diverse operating elements such as extension bars, sliding handle and universal joint
- for covering various screwing applications, even in hard-to-reach areas
- clear arrangement for quick location of the desired screwing tool
- safe and tidy storage in blow mold case
- clear arrangement of the various sockets and bit sockets for quickly finding the required size
- with knurling
- sockets, extension bars, universal joint and reversible ratchet made of chrome vanadium steel

- bit sockets made of high quality chrome vanadium steel (S2)

**scope of delivery:**

- 1 socket, super lock | 10 mm (3/8") drive | 6 mm (BGS 2366)
- 1 socket, super lock | 10 mm (3/8") drive | 7 mm (BGS 2367)
- 1 socket, super lock | 10 mm (3/8") drive | 8 mm (BGS 2368)
- 1 socket, super lock | 10 mm (3/8") drive | 9 mm (BGS 2369)
- 1 socket, super lock | 10 mm (3/8") drive | 10 mm (BGS 2370)
- 1 socket, super lock | 10 mm (3/8") drive | 11 mm (BGS 2371)
- 1 socket, super lock | 10 mm (3/8") drive | 12 mm (BGS 2372)
- 1 socket, super lock | 10 mm (3/8") drive | 13 mm (BGS 2373)
- 1 socket, super lock | 10 mm (3/8") drive | 14 mm (BGS 2374)
- 1 socket, super lock | 10 mm (3/8") drive | 15 mm (BGS 2375)
- 1 socket, super lock | 10 mm (3/8") drive | 16 mm (BGS 2376)
- 1 socket, super lock | 10 mm (3/8") drive | 17 mm (BGS 2377)
- 1 socket, super lock | 10 mm (3/8") drive | 18 mm (BGS 2378)
- 1 socket, super lock | 10 mm (3/8") drive | 19 mm (BGS 2379)
- 1 socket, super lock | 10 mm (3/8") drive | 20 mm (BGS 2380)
- 1 socket, super lock | 10 mm (3/8") drive | 21 mm (BGS 2381)
- 1 socket, super lock | 10 mm (3/8") drive | 22 mm (BGS 2382)
- 1 socket, super lock | 10 mm (3/8") drive | 24 mm (BGS 2384)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 8 mm (BGS 2610)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 9 mm (BGS 2611)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 10 mm (BGS 2600)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 11 mm (BGS 2601)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 12 mm (BGS 2602)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 13 mm (BGS 2603)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 14 mm (BGS 2604)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 15 mm (BGS 2605)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 17 mm (BGS 2607)
- 1 socket, super lock, deep | 10 mm (3/8") drive | 19 mm (BGS 2609)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T15 (BGS 2541)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T20 (BGS 2542)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T25 (BGS 2543)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T27 (BGS 2544)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T30 (BGS 2545)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T40 (BGS 2546)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T45 (BGS 2547)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T50 (BGS 2548)
- 1 bit socket | 10 mm (3/8") drive | T-Star (for Torx) T55 (BGS 2549)
- 1 bit socket | 10 mm (3/8") drive | cross slot PH1 (BGS 2553)
- 1 bit socket | 10 mm (3/8") drive | cross slot PH2 (BGS 2554)
- 1 bit socket | 10 mm (3/8") drive | cross slot PH3 (BGS 2556)

- 1 bit socket | 10 mm (3/8") drive | cross slot PZ1 (BGS 2550)
- 1 bit socket | 10 mm (3/8") drive | cross slot PZ2 (BGS 2551)
- 1 bit socket | 10 mm (3/8") drive | cross slot PZ3 (BGS 2552)
- 1 bit socket | 10 mm (3/8") drive | slot SL 5.5 mm (BGS 2567)
- 1 bit socket | 10 mm (3/8") drive | slot SL 7 mm (BGS 2568)
- 1 bit socket | 10 mm (3/8") drive | slot SL 8 mm
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 3 mm (BGS 2576)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 4 mm (BGS 2577)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 5 mm (BGS 2578)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 6 mm (BGS 2579)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 7 mm (BGS 2580)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 8 mm (BGS 2581)
- 1 bit socket | 10 mm (3/8") drive | internal hexagon 10 mm (BGS 2582)
- 1 spark plug socket, hexagon | 10 mm (3/8") drive | 16 mm (BGS 2471)
- 1 spark plug socket, hexagon | 10 mm (3/8") drive | 21 mm
- 1 universal joint | 10 mm (3/8") (BGS 299)
- 1 "wobble" extension bar | 10 mm (3/8") | 75 mm (BGS 242)
- 1 "wobble" extension bar | 10 mm (3/8") | 250 mm (BGS 244)
- 1 electric drill adaptor | 6.3 mm (1/4") drive / 10 mm (3/8") (BGS 9685-2)
- 1 reversible ratchet | fine tooth | 10 mm (3/8") (BGS 631)