

Socket Set Super Lock | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive | 192 pcs.



Product number: 2292

Weight: 8.8 kg

EAN: 4026947022925

- Super Lock sockets / wave profile type model
- drive 6.3 mm (1/4"), 10 mm (3/8") and 12.5 mm (1/2")
- fine-toothed ratchet, 72 teeth

scope of delivery:

tools with drive: 6.3 mm (1/4")

- 1 reversible ratchet
- 1 sliding bar
- 1 extension bar, 50 mm
- 1 extension bar, 100 mm
- 1 universal joint

- 1 spinner handle, 150 mm
- 13 combination spanners 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 7 sockets, deep, 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
- 5 E-type sockets E4 - E5 - E6 - E7 - E8
- 1 bit holder for 6.3 mm (1/4") bits
- 6 bit sockets cross slot: PH0 - PH1 - PH2, PZ0 - PZ1 - PZ2
- 4 slotted bit sockets 4 - 5.5 - 6.5 - 7 mm
- 4 bit sockets internal hexagon 3 - 4 - 5 - 6 mm
- 8 bit sockets T-Star (for Torx) T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
- 8 bits T-star tamperproof (for Torx) T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30

tools with drive: 10 mm (3/8")

- 1 reversible ratchet
- 1 extension bar, 125 mm
- 1 universal joint
- 1 spark plug wrench 18 mm
- 10 sockets, 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 6 sockets, deep, 10 - 11 - 12 - 13 - 14 - 15 mm
- 5 E-type sockets E10 - E11 - E12 - E14 - E16 - E18
- 1 bit holder for 8 mm bits

tools with drive: 12.5 mm (1/2")

- 1 reversible ratchet
- 1 extension bar, 125 mm
- 1 extension bar, 250 mm
- 1 sliding bar adaptor for 12.5 mm (1/2") extension bar
- 1 bit holder for 8 mm bits
- 1 universal joint
- 2 glow plug sockets 16 mm + 21 mm
- 17 Sockets, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32
- 5 sockets, deep, 16 - 17 - 18 - 19 - 22 mm
- 3 E-type sockets E20 - E24

bits with drive 8 mm

- 3 slots 8 - 10 - 12 mm
- 4 cross slots PH3 - PH4 / PZ3 - PZ4
- 5 internal hexagon 7 - 8 - 10 - 12 - 14 mm
- 6 T-Star (for Torx) T40 - T45 - T50 - T55 - T60 - T70
- 6 T-Star tamperproof (for Torx) T40 - T45 - T50 - T55 - T60 - T70

Bits with drive 6.3 mm (1/4")

- 10 T-star (for Torx) T5 - T6 - T7 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- 8 T-star (for Torx) T7 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- 5 splines (for Ribe) M5 - M6 - M7 - M8 - M9

- 3 splines M5 - M6 - M8
- 8 TS-star TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45
- 4 cross slots PH3 - PH4 / PZ3 - PZ4
- 2 internal hexagon 2 - 2.5 mm
- 7 wrench internal hexagon 1 - 1.5 - 2 - 2.5 - 3 - 4 - 5 mm